L Number	Hits	Search Text	ý	DB	Time stamp
1	4	("5805699" "6397333").pn.		USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/21 13:29
-	4	("5883958" "5915018").pn.		IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/15 13:55
_	12	5915018.URPN.		IBM_TDB USPAT	2004/01/14
-	41379	(secur\$4 near2 (drive or	stor\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT;	16:33 2004/01/14 16:52
-	24303	(secur\$4 adj (drive or st	cor\$4 or disk))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/14 16:52
_	121	(secur\$4 adj (drive or st with ((secur\$4 near3 comm		IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/14 16:53
_	72	(secur\$4 adj (drive or st with ((secur\$4 near3 comm @ad<20000630		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/16
_	1652	<pre>((client or computer or s adj (id or identifier ))</pre>		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/14
-	9	((client or computer or sadj (id or identifier )) with key with (id or identifier) @ad<20000630	and (generator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/14
-	9	((client or computer or sadj (MAC or id or identification (generator with key with identifier )) and @ad<200	fier )) and (MAC or id or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/14
-	118	((client or computer or sadj (MAC or id or identific ((generat \$4 with key) samidentifier)) and ((encry encipher \$4 or authenticat with (text or message or (receiv \$4 or send \$4 or regad < 20000630	fier )) and me (MAC or id or ypt\$4 or t\$4 or cod\$4) data ) with	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 17:19
-	259	((client or computer or sor device ) adj (MAC or sor key)) and ((generat\$4 (MAC or id or identifier ((encrypt\$4 or encipher\$4 authenticat\$4 or cod\$4) with (send\$4 or request\$4)) and	id or identifier with key ) same )) and 4 or with (text or receiv\$4 or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14

_	58	<pre>((client or computer or server or drive or device ) adj (MAC or id or identifier or key)) and ((generat\$4 with key ) same (MAC or id or identifier )) and ((encrypt\$4 or encipher\$4 or</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/14
		authenticat\$4 or cod\$4) with (text or message or data ) with (receiv\$4 or send\$4 or request\$4)) and (secur\$4 adj (drive or stor\$4 or disk)) and @ad<20000630	154_155	
	142	((client or computer or server or drive or device ) adj (MAC or id or identifier or key)) and ((generat\$4 with key ) same (MAC or id or identifier )) and ((encrypt\$4 or encipher\$4 or authenticat\$4 or cod\$4) with (text or message or data ) with (receiv\$4 or send\$4 or request\$4)) and (secur\$4 near3 (drive or stor\$4 or disk)) and @ad<20000630	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14
-	122		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 17:36
_	170	((client or computer or server or drive or device or user) adj (MAC or id or identifier or key)) and ((generat\$4 near3 key) same (MAC or id or identifier)) and ((encrypt\$4 or encipher\$4 or authenticat\$4 or cod\$4) with (text or message or data) with (receiv\$4 or send\$4 or request\$4)) and (secur\$4 near3 (drive or stor\$4 or disk)) and @ad<20000630	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 17:36
	48	(((client or computer or server or drive or device or user) adj (MAC or id or identifier or key)) and ((generat\$4 near3 key) same (MAC or id or identifier)) and ((encrypt\$4 or encipher\$4 or authenticat\$4 or cod\$4) with (text or message or data) with (receiv\$4 or send\$4 or request\$4)) and (secur\$4 near3 (drive or stor\$4 or disk)) and (gad<20000630) not (((client or computer or server or drive or device) adj (MAC or id or identifier or key)) and ((generat\$4 near3 key) same (MAC or id or identifier)) and ((encrypt\$4 or encipher\$4 or authenticat\$4 or cod\$4) with (text or message or data) with (receiv\$4 or send\$4 or request\$4)) and (secur\$4 near3 (drive or stor\$4 or disk)) and (gad<20000630)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 17:37
-	6	("6570989" "6658566" "6523117" ).pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/15
<u>-</u>	213	((drive or media or medium or device) adj (ID or identifier)) and ((drive or media or medium or device) adj (key))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/15 16:01

_	55	((drive or media or medium or device) adj (ID or identifier)) with((drive or media or medium or device) adj (key))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/15 16:01
-	5	((drive or media or medium or device) adj (ID or identifier)) with ((drive or media or medium or device) adj (key)) and @ad<20000630	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/15 16:20
_	31	((drive or media or medium or device) adj (ID or identifier)) with (((drive or media or medium or device) adj (key)) or (private or master) adj key) and @ad<20000630	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/15 16:39
	146		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 17:06
-	144		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/15 16:58
	30		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 17:01
-	1	(reply or response) with (((drive or media or medium or device) adj (ID or identifier)) or ((serial or manufacture\$1) adj number)) with (((drive or media or medium or device) adj (key)) or (private or master) adj key) and @ad<20000630	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 17:04
-	3	(reply or response) with (((drive or media or medium or device) adj (ID or identifier)) or ((serial or manufacture\$1) adj number)) with (((drive or media or medium or device) adj (key)) or (private or master or secret) adj key) and @ad<20000630	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 17:18
-	0		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15

-	3	((reply or response) with ((drive or	USPAT;	2004/01/15
i		media or medium or device) adj (ID or	US-PGPUB;	17:07
		identifier)) or ((serial or	EPO; JPO;	
		manufacture\$1) adj number)) with (((drive	DERWENT;	
		or media or medium or device) adj (key))	IBM TDB	
		or (private or master or secret) adj key)	15155	
		and @ad<20000630) and (((drive or media		
		or medium or device) adj (ID or		
		identifier)) or ((serial or		
		manufacture\$1) adj number)) with (((drive		
		or media or medium or device) adj (key))		
		or (private or master or secret) adj key)		
		and @ad<20000630)		
_	241	(((drive or media or medium or device)	IICDAM.	2004/01/15
	241		USPAT;	2004/01/15
		adj (ID or identifier)) or ((serial or	US-PGPUB;	17:16
		manufacture\$1) adj number)) with (	EPO; JPO;	
		((drive or media or medium or device)	DERWENT;	
		adj (key)) or ((private or master or	IBM_TDB	
	1 12	secret) adj (key))) and @ad<20000630	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	2004/01/15
_	13	((((drive or media or medium or device)	USPAT;	2004/01/15
		adj (ID or identifier)) or ((serial or	US-PGPUB;	17:16
		manufacture\$1) adj number)) with (((drive	EPO; JPO;	
		or media or medium or device) adj (key))	DERWENT;	
		or (private or master or secret) adj key)	IBM_TDB	
		and @ad<20000630) and (((drive or media		
		or medium or device) adj (ID or	1	
		identifier)) or ((serial or		
		manufacture\$1) adj number)) with		
		(encrypt\$4 near2 (message or content or		
		data)) and @ad<20000630)) and		
		((authenticat\$4 or verif\$4 or validat\$4)		
		with ((encrypt\$4 or encipher\$4) near2		
		(message or content or data or text))		
1		with ( ((drive or media or medium or		
		device) adj (key)) or ((private or master		
		or secret) adj (key))) )		
-	13	(reply or response or sen\$2) with	USPAT;	2004/01/15
		(((drive or media or medium or device)	US-PGPUB;	17:18
		adj (ID or identifier)) or ((serial or	EPO; JPO;	
		manufacture\$1) adj number)) with (((drive	DERWENT;	
		or media or medium or device) adj (key))	IBM_TDB	
}		or (private or master or secret) adj key)		
		and @ad<20000630		
-	21	(reply\$4 or response or sen\$4) with	USPAT;	2004/01/15
1		(((drive or media or medium or device)	US-PGPUB;	17:19
		adj (ID or identifier)) or ((serial or	EPO; JPO;	
1		manufacture\$1) adj number)) with (((drive	DERWENT;	
1		or media or medium or device) adj (key))	IBM TDB	
		or (private or master or secret) adj key)	_	
1		and @ad<20000630		
	•			

	17	((((((drive or media or medium or device) adj (ID or identifier)) or ((serial or manufacture\$1) adj number)) with (((drive or media or medium or device) adj (key)) or (private or master or secret) adj key) and @ad<20000630) and ((((drive or media or medium or device) adj (ID or identifier)) or ((serial or manufacture\$1) adj number)) with (encrypt\$4 near2 (message or content or data)) and @ad<20000630)) and ((authenticat\$4 or verif\$4 or validat\$4) with ((encrypt\$4 or encipher\$4) near2 (message or content or data or text)) with ( ((drive or media or medium or device) adj (key)) or ((private or master or secret) adj (key)))) and ((reply\$4 or response or sen\$4) with (((drive or media or medium or device) adj (ID or identifier)) or ((serial or manufacture\$1) adj number)) with (((drive or media or medium or device) adj (key)) or (private or master or secret) adj number)) with (((drive or media or medium or device) adj (key)) and @ad<20000630) ((((drive or media or medium or device)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15
	1/	((((drive or media or medium or device) adj (ID or identifier)) or ((serial or manufacture\$1) adj number)) with (((drive or media or medium or device) adj (key)) or (private or master or secret) adj key) and @ad<20000630) and (((drive or media or medium or device) adj (ID or identifier)) or ((serial or manufacture\$1) adj number)) with (encrypt\$4 near2 (message or content or data)) and @ad<20000630)) and (authenticat\$4 or verif\$4 or validat\$4) with ((encrypt\$4 or encipher\$4) near2 (message or content or data or text))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	18:39
-	18 1	"5931947"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/16 11:03
-	13	((reply or response or sen\$2) with (((drive or media or medium or device) adj (ID or identifier)) or ((serial or manufacture\$1) adj number)) with (((drive or media or medium or device) adj (key)) or (private or master or secret) adj key) and @ad<20000630) and ((reply\$4 or response or sen\$4) with (((drive or media or medium or device) adj (ID or identifier)) or ((serial or manufacture\$1) adj number)) with (((drive or media or medium or device) adj (key)) or (private or master or secret) adj key) and @ad<20000630)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/16 11:49
-	151	((client or computer or server or drive) adj (MAC or id or identifier )) and ((generat\$4 with key )same (MAC or id or identifier )) and @ad<20000630	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/16 12:21
_	21	<pre>((client or computer or server or drive) adj (MAC or id or identifier )) same ((generat\$4 with key )same (MAC or id or identifier )) same ((secure or private or secret ) adj key)and @ad&lt;20000630 ((client or computer or server or drive)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/01/16 12:24 2004/01/16
	40	adj (MAC or id or identifier )) same ((generat\$4 with key )same (MAC or id or identifier )) same ( key)and @ad<20000630	US-PGPUB; EPO; JPO; DERWENT; IBM TDB	12:24

_	27	(((client or computer or server or drive) adj (MAC or id or identifier )) same ((generat\$4 with key )same (MAC or id or identifier )) same ( key)and (ad<20000630) not (((client or computer or server or drive) adj (MAC or id or identifier )) same ((generat\$4 with key )same (MAC or id or identifier )) same ((secure or private or secret ) adj	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/16 12:24
-	41	key)and @ad<20000630) ((client or computer or server or drive) adj (id or identifier )) and (generator with key ) and @ad<20000630	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/16 12:28
-	2	5805699.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/16 12:28
-	241	(((drive or media or medium or device) adj (ID or identifier)) or ((serial or manufacture\$1) adj number)) with (((drive or media or medium or device) adj (key)) or (private or master or secret) adj key) and @ad<20000630	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/16 12:29
	33	<pre>((((drive or media or medium or device) adj (ID or identifier)) or ((serial or manufacture\$1) adj number)) with (((drive or media or medium or device) adj (key)) or (private or master or secret) adj key) and @ad&lt;20000630) and ((((drive or media or medium or device) adj (ID or identifier)) or ((serial or manufacture\$1) adj number)) with (encrypt\$4 near2 (message or content or data)) and @ad&lt;20000630)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/16 12:30